

VISULOX 4

VISULOX4_FileTransfer_(VFT)

16.10.2026




Table of Contents


1 Example files for Oracle Linux 8.....	5
2 Related articles	6

Limitation of Liability Statement (Disclaimer)

The Visulox documentation is proprietary to amitego engineering GmbH and no ownership rights are hereby transferred. No part of the documentation shall be used, reproduced, translated, converted, adapted, stored in a retrieval system, communicated or transmitted by any means, for any commercial purpose, including without limitation, sale, resale, licence, rental or lease, without the prior express written consent of amitego engineering.

amitego engineering does not make any representations, warranties or guarantees, express or implied, as to the accuracy or completeness of the documentation. Users must be aware that updates and amendments will be made from time to time to the documentation. It is the user's responsibility to determine whether there have been any such updates or amendments. Neither amitego engineering nor any of its directors, officers, employees or agents shall be liable in contract, tort or in any other manner whatsoever to any person for any loss, damage, injury, liability, cost or expense of any nature, including without limitation incidental, special, direct or consequential damages arising out of or in connection with the use of the documentation.


It is possible to install VISULOX File Transfer as a separate component with its own installation packages.



1 Example files for Oracle Linux 8

```
yum install visulox-rte-1.2.0-1.el8.x86_64.rpm  
yum install visulox-portal-filetransit-4.3.3-1.el8.x86_64.rpm  
yum install visulox-filetransit-4.3.3-1.el8.x86_64.rpm
```


For more information about File Transit have a look at the File Transit documentation in the [VISULOX Administration Guide](#).




2 Related articles

- [\(4.2.0\) VISULOX File Transit and Sophos Endpoint Security and Control](#)
- [\(4.2.0\) How to discard filetypes from the Transit Zone synchronisation](#)
- [\(4.2.0\) Configuration of File Transfer in the VISULOX Cockpit](#)
- [\(4.2.0\) File Transfer](#)
- [\(4.2.0\) File Transfer modules](#)
- [\(4.2.0\) Command Connect / Guard and FT Client with empty filters](#)
- [\(4.2.0\) VISULOX4_FileTransfer_\(VFT\)](#)
- [\(4.2.0\) Accessing the File Exchange web page](#)
- [\(4.2.0\) VISULOX Transit Mapping and Ubuntu application servers](#)
- [\(4.2.0\) Automated transfer of files into Transit Zone \(Passon\)](#)
- [\(4.2.0\) VISULOX FTP Service](#)
- [\(4.2.0\) File Transfer recommendations](#)
- [\(4.2.0\) How to attach Chrome/Chromium download directory to vlxtransit](#)
- [\(4.2.0\) How to control FT Client from the command line](#)
- [\(4.2.0\) How to setup File Exchange on a VISULOX Node without VISULOX PORTAL Service](#)
- [\(4.2.0\) How to configure File Transfer content check](#)
- [\(4.2.0\) Object ID](#)
- [\(4.2.0\) Transit Policy](#)
- [\(4.2.0\) Allowing File Transfer from internal to internal](#)
- [\(4.2.0\) Transit script variables](#)
- [\(4.2.0\) File Transfer features](#)


(4.2.0) Custom vlxuser ID for transit users
(4.2.0) File Transfer via command line
(4.2.0) File Transit with approval
(4.2.0) How to control File Transit Policy from the command line
(4.2.0) Extended Transit Policy with hash check by provided hash file
(4.2.0) VISULOX addon command line interface (CMD Connect / Guard, etc)
(4.2.0) How to use SSH-Keys within Command Connect / Guard and FT Client
(4.2.0) VISULOX Transit mapping
(4.3.2) VISULOX FTP Service
(4.3.2) VISULOX addon command line interface (CMD Connect / Guard, etc)
(4.3.2) Command Connect / Guard and FT Client with empty filters
(4.3.2) Custom vlxuser ID for transit users
(4.3.2) Transit Policy
(4.3.2) How to use SSH-Keys within Command Connect / Guard and FT Client
(4.3.2) How to control File Transit Policy from the command line
(4.3.2) File Transfer via command line
(4.3.2) File Transfer
(4.3.2) Object ID
(4.3.2) VISULOX4_FileTransfer_(VFT)
(4.3.2) How to control FT Client from the command line
(4.3.2) Accessing the File Exchange web page
(4.3.2) Configuration of File Transfer in the VISULOX Cockpit







- (4.3.2) File Transfer recommendations
- (4.3.2) Automated transfer of files into Transit Zone (Passon)
- (4.3.2) File Transit with approval
- (4.3.2) VISULOX Transit Mapping and Ubuntu application servers
- (4.3.2) How to attach Chrome/Chromium download directory to vlxtransit
- (4.3.2) How to setup File Exchange on a VISULOX Node without VISULOX PORTAL Service
- (4.3.2) File Transfer features
- (4.3.2) Transit script variables
- (4.3.2) Extended Transit Policy with hash check by provided hash file
- (4.3.2) How to discard filetypes from the Transit Zone synchronisation
- (4.3.2) File Transfer modules
- (4.3.2) VISULOX File Transit and Sophos Endpoint Security and Control
- (4.3.2) How to configure File Transfer content check
- (4.3.2) Allowing File Transfer from internal to internal
- (4.3.2) VISULOX Transit mapping
- (4.1.1) VISULOX File Transit and Sophos Endpoint Security and Control
- (4.1.1) Transit script variables
- (4.1.1) VISULOX FTP Service
- (4.1.1) How to use SSH-Keys within Command Connect / Guard and FT Client
- (4.1.1) Object ID
- (4.1.1) Automated transfer of files into Transit Zone (Passon)
- (4.1.1) VISULOX addon command line interface (CMD Connect / Guard, etc)

- (4.1.1) How to control FT Client from the command line
- (4.1.1) How to configure File Transfer content check
- (4.1.1) File Transit with approval
- (4.1.1) VISULOX Transit mapping
- (4.1.1) Extended Transit Policy with hash check by provided hash file
- (4.1.1) Allowing File Transfer from internal to internal
- (4.1.1) File Transfer modules
- (4.1.1) File Transfer recommendations
- (4.1.1) File Transfer features
- (4.1.1) How to attach Chrome/Chromium download directory to vxtransit
- (4.1.1) How to control File Transit Policy from the command line
- (4.1.1) Configuration of File Transfer in the VISULOX Cockpit
- (4.1.1) File Transfer via command line
- (4.1.1) File Transfer
- (4.1.1) How to setup File Exchange on a VISULOX Node without VISULOX PORTAL Service
- (4.1.1) Command Connect / Guard and FT Client with empty filters
- (4.1.1) VISULOX4_FileTransfer_(VFT)
- (4.1.1) Accessing the File Exchange web page
- (4.1.1) Custom vxuser ID for transit users
- (4.1.1) VISULOX Transit Mapping and Ubuntu application servers
- (4.1.1) Transit Policy
- (4.1.1) How to discard filetypes from the Transit Zone synchronisation






- (4.3.1) File Transfer features
- (4.3.1) File Transit with approval
- (4.3.1) VISULOX File Transit and Sophos Endpoint Security and Control
- (4.3.1) Configuration of File Transfer in the VISULOX Cockpit
- (4.3.1) VISULOX FTP Service
- (4.3.1) Command Connect / Guard and FT Client with empty filters
- (4.3.1) Extended Transit Policy with hash check by provided hash file
- (4.3.1) How to control File Transit Policy from the command line
- (4.3.1) File Transfer via command line
- (4.3.1) Automated transfer of files into Transit Zone (Passon)
- (4.3.1) Transit Policy
- (4.3.1) How to discard filetypes from the Transit Zone synchronisation
- (4.3.1) File Transfer
- (4.3.1) How to configure File Transfer content check
- (4.3.1) How to use SSH-Keys within Command Connect / Guard and FT Client
- (4.3.1) VISULOX4_FileTransfer_(VFT)
- (4.3.1) Custom vlxuser ID for transit users
- (4.3.1) Transit script variables
- (4.3.1) File Transfer modules
- (4.3.1) File Transfer recommendations
- (4.3.1) How to setup File Exchange on a VISULOX Node without VISULOX PORTAL Service
- (4.3.1) Accessing the File Exchange web page




- (4.3.1) How to attach Chrome/Chromium download directory to vxtransit
- (4.3.1) Object ID
- (4.3.1) VISULOX Transit Mapping and Ubuntu application servers
- (4.3.1) VISULOX Transit mapping
- (4.3.1) How to control FT Client from the command line
- (4.3.1) VISULOX addon command line interface (CMD Connect / Guard, etc)
- (4.3.1) Allowing File Transfer from internal to internal
- (4.3.0) How to control File Transit Policy from the command line
- (4.3.0) Automated transfer of files into Transit Zone (Passon)
- (4.3.0) VISULOX FTP Service
- (4.3.0) Accessing the File Exchange web page
- (4.3.0) File Transit with approval
- (4.3.0) Allowing File Transfer from internal to internal
- (4.3.0) How to control FT Client from the command line
- (4.3.0) VISULOX Transit Mapping and Ubuntu application servers
- (4.3.0) VISULOX File Transit and Sophos Endpoint Security and Control
- (4.3.0) File Transfer modules
- (4.3.0) VISULOX addon command line interface (CMD Connect / Guard, etc)
- (4.3.0) How to configure File Transfer content check
- (4.3.0) Extended Transit Policy with hash check by provided hash file
- (4.3.0) Transit script variables
- (4.3.0) Command Connect / Guard and FT Client with empty filters

(4.3.0) File Transfer features
(4.3.0) How to use SSH-Keys within Command Connect / Guard and FT Client
(4.3.0) VISULOX4_FileTransfer_(VFT)
(4.3.0) How to attach Chrome/Chromium download directory to vlxtransit
(4.3.0) Custom vlxuser ID for transit users
(4.3.0) Object ID
(4.3.0) Configuration of File Transfer in the VISULOX Cockpit
(4.3.0) File Transfer via command line
(4.3.0) How to discard filetypes from the Transit Zone synchronisation
(4.3.0) File Transfer
(4.3.0) How to setup File Exchange on a VISULOX Node without VISULOX PORTAL Service
(4.3.0) Transit Policy
(4.3.0) File Transfer recommendations
(4.3.0) VISULOX Transit mapping
VISULOX4_FileTransfer_(VFT)
File Transfer modules
How to attach Chrome/Chromium download directory to vlxtransit
Custom vlxuser ID for transit users
Object ID
File Transit with approval
Extended Transit Policy with hash check by provided hash file
VISULOX Transit Mapping and Ubuntu application servers



[VISULOX Transit mapping](#)
[File Transfer via command line](#)
[Automated transfer of files into Transit Zone \(Passon\)](#)
[Allowing File Transfer from internal to internal](#)
[How to discard filetypes from the Transit Zone synchronisation](#)
[How to control FT Client from the command line](#)
[Configuration of File Transfer in the VISULOX Cockpit](#)
[How to setup File Exchange on a VISULOX Node without VISULOX PORTAL Service](#)
[VISULOX File Transit and Sophos Endpoint Security and Control](#)
[Transit script variables](#)
[VISULOX FTP Service](#)
[How to configure File Transfer content check](#)
[File Transfer recommendations](#)
[File Transfer features](#)
[Accessing the File Exchange web page](#)
[File Transfer](#)
[Command Connect / Guard and FT Client with empty filters](#)
[How to use SSH-Keys within Command Connect / Guard and FT Client](#)
[VISULOX addon command line interface \(CMD Connect / Guard, etc\)](#)
[How to control File Transit Policy from the command line](#)
[Transit Policy](#)
[\(4.3.3\) VISULOX Transit mapping](#)



(4.3.3) VISULOX File Transit and Sophos Endpoint Security and Control

(4.3.3) Transit Policy

(4.3.3) Transit script variables

(4.3.3) File Transfer features

(4.3.3) How to setup File Exchange on a VISULOX Node without VISULOX PORTAL Service

(4.3.3) How to use SSH-Keys within Command Connect / Guard and FT Client

(4.3.3) Extended Transit Policy with hash check by provided hash file

(4.3.3) File Transfer modules

(4.3.3) VISULOX FTP Service

(4.3.3) Configuration of File Transfer in the VISULOX Cockpit

(4.3.3) Custom vlxuser ID for transit users

(4.3.3) VISULOX addon command line interface (CMD Connect / Guard, etc)

(4.3.3) File Transit with approval

(4.3.3) Command Connect / Guard and FT Client with empty filters

(4.3.3) How to control File Transit Policy from the command line

(4.3.3) How to control FT Client from the command line

(4.3.3) How to configure File Transfer content check


(4.3.3) Object ID

(4.3.3) File Transfer via command line

(4.3.3) How to discard filetypes from the Transit Zone synchronisation

(4.3.3) File Transfer

(4.3.3) Allowing File Transfer from internal to internal



VISULOX4_FileTransfer_(VFT)

(4.3.3) Accessing the File Exchange web page

(4.3.3) VISULOX Transit Mapping and Ubuntu application servers

(4.3.3) Automated transfer of files into Transit Zone (Passon)

(4.3.3) File Transfer recommendations

(4.3.3) How to attach Chrome/Chromium download directory to vlxtransit

